

Mühlhauser I, **Meyer G**. Die so genannte Hormonersatztherapie in der Meno-/Postmenopause. *Z Allg Med* 2000; 76: 497-501

Meyer G. Kritische Beurteilung einer Meta-Analyse zur Wirksamkeit der sogenannten Hormonersatz-therapie und Vorschläge zur verbesserten Transparenz von Meta-Analysen. *Z Arztl Fortbild Qualitätssich* 2002; 96: 695698

Meyer G, Warnke A, Bender R, Mühlhauser I. Effect an hip fractures of increased use of hip protectors in nursing homes: cluster randomised controlled trial. *Br Med J* 2003; 326: 76 (online full text version), 76-78 (printed abridged version)

Meyer G, Warnke A, Mühlhauser I. Effectiveness of hip protectors. Authors' reply. *Br Med J* 2003; 326: 931

Meyer G. Kritische Bewertung eines Screening-Instrumentes zur Vorhersage des Sturzrisikos älterer Menschen. *Z Arztl Fortbild Qualitätssich* 2003; 97: 27-31

Meyer G, Schlömer G. Pädagogische Reflexionen zum EBM-Curriculum der Zentralstelle der Deutschen Ärzteschaft zur Qualitätssicherung in der Medizin und des Deutschen Netzwerkes Evidenzbasierte Medizin. *Z Arztl Fortbild Qualitätssich* 2003; 97: 287-290

Schlömer G, Gross M, **Meyer G**. Effektivität der Episiotomie bei vaginaler Geburt hinsichtlich der Vermeidung von Harn- und Stuhlinkontinenz: Eine systematische Übersicht externer Evidenz. *Wien Med Wochenschr* 2003; 153: 269-275

Meyer G, Warnke A, Mühlhauser I. Fall and fracture prevention in the elderly. *Geriatrics & Aging* 2003; 6: 12-14

Meyer G, Geliert R, Schlömer, G, Mühlhauser I. Thromboseprophylaxestrümpfe in der Chirurgie optional oder obligatorisch? *Chirurg* 2004; 75: 45-57

Warnke A, **Meyer G**, Bender R, Mühlhauser I. Predictors of adherence to the use of hip protectors in nursing home residents. *J Am Geriatr Soc* 2004; 52: 340-345

Warnke A, **Meyer G**, Bott U, Mühlhauser I. Validation of a quality of life questionnaire measuring the subjective fear of falling in nursing home residents. *Z Gerontol Geriatr* 2004; 37: 459-466

Meyer G, Wegscheider K, Kersten JF, Icks A, Mühlhauser I. Increased use of hip protectors in nursing homes: economic analysis of a cluster randomized, controlled trial. *J Am Geriatr Soc* 2005; 53: 2153-2158

Köpke S, Berger B, Steckelberg A, **Meyer G**. In Deutschland gebräuchliche Bewertungsinstrumente für Patienteninformationen — eine kritische Analyse. *Z Arztl Fortbild Qualitätssich* 2005; 99: 353-357

Meyer G, Köpke S, Bender R, Mühlhauser I. Predicting the Risk of Falling - Efficacy of a Risk Assessment Tool compared to Nurses' Judgement: a cluster-randomised controlled trial [ISRCTN37794278]. *BMC Geriatrics* 2005; 5: 14

Mühlhauser I, **Meyer G**. Evidence based Medicine: Widersprüche zwischen Surrogatergebnissen und klinischen Endpunkten. *Psychother Psychosom Med Psychol* 2006; 56: 193-201

Mühlhauser I, Kasper J, **Meyer G**. FEND: Understanding of diabetes prevention studies: questionnaire survey of professionals in diabetes care. *Diabetologia* 2006; 49: 1742-1746

Meyer G, Köpke S. Expertenstandards in der Pflege: Wirkungsvolle Instrumente zur Verbesserung der Pflegepraxis oder von ungewissem Nutzen? *Z Gerontol Geriatr* 2006; 39: 211-216

Meyer G, Mühlhauser I. Comment to: Martin S, Schneider B, Heinemann L et al.: Self-monitoring of blood glucose in type 2 diabetes and long-term outcome: an epidemiological cohort study. *Diabetologia* 49: 271-278 (2006). *Diabetologia* 2006; 49: 1702-1703

Meyer G, Mühlhauser I. Hip protectors in the elderly: Lack of effectiveness or just suboptimal implementation? *Eur Rev Aging Phys Act* 2006; 3: 85-90

Görres S, Reif K, Biedermann H, Borchert C, Habermann M, Köpke S, **Meyer G**, Rothgang H. Optimierung des Pflegeprozesses durch neue Steuerungsinstrumente. *Der Pflegeforschungsverbund Nord. Z Gerontol Geriatr* 2006; 39: 159-164

Köpke S, **Meyer G**. The Tinetti test: Babylon in geriatric assessment. *Z Gerontol Geriatr* 2006; 39: 288-291 **Meyer G**, Steckelberg A, Mühlhauser I: Analysis of consumer information brochures on osteoporosis prevention and treatment. *GMS Ger Med Sci* 2007; 5: Doc01

Halbekath JM, Schenk S, von Maxen A, **Meyer G**, Mühlhauser I. Risedronate for the prevention of hip fractures: Concern about validity of trials. *Arch Intern Med* 2007; 167: 513-514

Meyer G, Köpke S, Lenz M, Kasper J, Mühlhauser I. Evidence-based medicine for diabetes educators: a pilot study. *Diabet Med* 2007; 24: 901-905

Icks A, Haastert B, **Meyer G**. Remarkable Decline in Hip Fracture Incidence in Younger Age Groups in Germany. *Am J Public Health* 2007; 97: 1733-1734

Icks A, Haastert B, Wildner M, Becker C, **Meyer G**. Inzidenz von Hüftfrakturen in Deutschland Auswertung der Krankenhausdiagnosestatistik 2004. *Dtsch Med Wochenschr* 2008; 133: 125-128

Icks A, Haastert B, Wildner M, Becker C, **Meyer G**. Trend of hip fracture incidence in Germany 1995-2004. A population-based study. *Osteoporos Int* 2008; 19: 1139-1145

Köpke S, **Meyer G**, Haut A, Gerlach A. Methodenpapier zur Entwicklung einer Praxisleitlinie zur Vermeidung von freiheitseinschränkenden Maßnahmen in der beruflichen Altenpflege. *Z Evid Fortbild Qual Gesundh wesen* 2008; 102: 45-53

Meyer G, Köpke S, Haastert B, Mühlhauser I. Restraint use among nursing home residents: cross-sectional study and prospective cohort study. *J Clin Nurs* 2009; 18: 981-990

Mann E, **Meyer G**. Medikamentöse Freiheitsbeschränkung in Pflegeheimen im Bundesland Vorarlberg, Österreich: Analyse der ersten Meldungen und Implikationen für eine zukünftige sachgerechte Verwirklichung der gesetzlichen Meldepflicht. *Wien Med Wochenschr* 2008; 158: 489-492

Hamers JPH, **Meyer G**, Köpke S, Lindenmann R, Groven R, and Huizing AR. Attitudes of Dutch, German and Swiss nursing staff towards physical restraint use in nursing home residents, a cross-sectional study. *Int J Nurs Stud* 2009; 46: 248-55

Mann E, Icks A, Haastert B, **Meyer G**. Hip fracture incidence in the elderly in Austria: An epidemiological study covering the years 1994 to 2006. *BMC Geriatrics* 2008; 8: 35

Köpke S, Dehning K, Molsen N, Möhler R, Kasper J, **Meyer G**. Die Rolle der Pflegenden im therapeutischen Team der Stroke Unit. *Pflege* 2009; 22: 39-46

Meyer G, Möhler R, Köpke S. Interventions for preventing and reducing the use of physical restraints in long-term geriatric care. *Cochrane Database of Systematic Reviews* 2009; Issue 1. Art. No.: CD007546

Meyer G, Mühlhauser I. Transparency of reporting: in reply to the letter by O'Halloran. *Letter. Eur Rev Aging Phys Act* 2009; 6: 5-6

Icks A, Haastert B, Wildner M, Becker C, Rapp K, Dragano N, **Meyer G**, Rosenbauer J. Hip fractures and area level socioeconomic conditions. A population-based study. *BMC Public Health* 2009; 9: 114

Meyer G, Köpke S, Haastert B, Mühlhauser I. Comparison of a fall risk assessment tool with nurses' judgement alone: a cluster-randomised controlled trial. *Age and Ageing* 2009; 38: 417-423

Mann E, Köpke S, Haastert B, Pitkälä K, **Meyer G**. Psychotropic drug use among nursing home residents in Austria: a cross-sectional study. *BMC Geriatrics* 2009; 9: 18

Haut A, Köpke S, Gerlach A, Mühlhauser I, Haastert B, **Meyer G**, Evaluation of an evidence based guidance on the reduction of physical restraints in nursing homes: a cluster-randomised controlled trial [ISRCTN34974819]. BMC Geriatrics 2009; 9: 42

Meyer G, Köpke S. Vitamin D and falls. Information on harm is missing. Letter. BW 2009; 339: b4395

Genz J, Haastert B, **Meyer G**, Steckelberg A, Muller H, Verheyen F, Cole D, Rathmann W, Nowotny B, Roden M, Giani G, Mielck A, Ohmann C, Icks A. Blood glucose testing and primary prevention of diabetes mellitus type 2 -evaluation of the effect of evidence based patient information. BMC Public Health 2010; 10: 15

Gnass I, Bartoszek G, Thiesemann R, **Meyer G**. Erworbene Kontrakturen der Gelenke bei älteren Menschen: Dringender Bedarf einer Definition. Z Gerontol Geriatr 2010; 43: 147-157

Mann E, **Meyer G**, Haastert B, Icks A. Comparison of hip fracture incidence and trends between Germany and Austria 1995-2004: An epidemiological study. BMC Public Health 2010; 10: 46

Schmitz A, Lins S, Krüger C, Adler K, Segmüller T, **Meyer G**. „Wer ist Glossar?“ — Fokusgruppen-Evaluation einer evidenzbasierten Verbraucherinformation zu Sturzgefährdung und -vorbeugung im Alter. Pflege 2010; 23: 267274

Haut A, Kolbe N, Strupeit S, Mayer H, **Meyer G**. Attitudes of relatives of nursing home residents towards physical restraints. J Nurs Scholarsh 2010; 42: 448-456

Krüger C, **Meyer G**, Hamers J. Mechanische freiheitsentziehende Maßnahmen im Krankenhaus: ein systematischer Literaturüberblick. Z Gerontol Geriatr 2010; 43: 291-296

Berger B, Steckelberg A, **Meyer G**, Kasper J, Mühlhauser I. Training of patient and consumer representatives in the basic competencies of evidence based medicine: a feasibility study. BMC Medical Education 2010; 10: 16

Mann E, Icks A, **Meyer G**. Discrepancies in national hip fracture incidence trends. Wien Klin Wochenschr 2010; 122:126-128

Richter T, **Meyer G**, Köpke S. Psychosocial interventions for reducing antipsychotic medication in care home residents (Protocol). Cochrane Database Syst Rev 2010; Issue 8. CD008634

Mühlhauser I, **Meyer G**, Steckelberg A. Patienten wollen mitentscheiden, doch die Informationsbasis und Strukturen fehlen. ZfA 2010; 86: 412-417

Mann E, Icks A, Haastert B, **Meyer G**. Is it really a true reversal? Letter. Wien Klin Wochenschr 2010; 122: 545

Mann E, **Meyer G**. Reporting quality of conference abstracts on randomised controlled trials in gerontology and geriatrics: a cross-sectional investigation. Z Evid Fortbild Qual Gesundh wesen 2011; 105: 459-462

Möhler R, Richter T, Köpke S, **Meyer G**. Interventions for preventing and reducing the use of physical restraints in long-term geriatric care. Cochrane Database Syst Rev 2011; 2: CD007546

Richter T, Mann E, **Meyer G**, Haastert B, Köpke S. Prevalence of psychotropic medication use among German and Austrian nursing home residents: a comparison of three cohorts. J Am Med Dir Assoc 2012; 13: 187.e7-187.e13

Lins S, Icks A, **Meyer G**. Understanding comprehensibility and acceptance of an evidence- based consumer information brochure on fall prevention in old age: a focus group study. BMC Geriatrics 2011; 11: 26

Lins S, Rücker G, Motschall E, Langer G, Antes G, **Meyer G**. Efficacy and experiences of telephone counselling for informal carers of people with dementia. Cochrane Database of Systematic Reviews 2011, Issue 5. Art. No.: CD009126. DOI:10.1002/14651858.CD009126

Hecht L, Möhler R, **Meyer G**. Effects of CPAP-respiration on markers of glucose metabolism in patients with obstructive sleep apnoea syndrome: a systematic review and meta-analysis. GMS Ger Med Sci 2011; 9: Doc19

Meyer G, Köpke S. Letter. Important deviations from study protocol. Letter. JAGS 2011; 59:13641365

Möhler R, Bartoszek G, Köpke S, **Meyer G**. Proposed criteria for reporting the development and evaluation of complex interventions in healthcare (CRDeCI). Int J Nurs Stud 2012; 49: 40-46

Mühlhauser I, Lenz M, **Meyer G**. Entwicklung, Bewertung und Synthese von komplexen Interventionen - eine methodische Herausforderung. Z Evid Fortb Qual Gesundh wesen 2011; 105: 751-761

Meyer G, Köpke S. Wie kann der beste pflegewissenschaftliche Kenntnisstand in die Pflegepraxis gelangen? Pflege und Gesellschaft 2012; 17: 36-44

Verbeek H, **Meyer G**, Leino-Kilpi H, Zabalegui A, Hallberg IR, Saks K, Soto ME, Challis D, Sauerland D, Hamers JPH. A European study investigating patterns of transition from home care towards institutional dementia care: the protocol of a RightTimePlaceCare study. BMC Public Health 2012, 12: 68

Ausserhofer D, Gnass I, **Meyer G**, Schwendimann R. Die Bestimmung der Inhaltsvalidität anhand des Content Validity Index am Beispiel eines Instruments zur Erfassung des Sicherheitsklimas im Krankenhaus. Pflegewissenschaft 2012, 13: 151-158

Möhler R, Richter T, Köpke S, **Meyer G**. Interventions for preventing and reducing the use of physical restraints in long-term geriatric care - a Cochrane review". J Clin Nurs 2012; 21: 3070-3081

Möhler R, Renom A, Renom H, **Meyer G**. Personally-tailored activities for improving psychosocial outcomes for people with dementia in long-term care. Cochrane Database of Systematic Reviews 2012, Issue 4. Art. No.: CD009812. DOI:10.1002/14651858.CD009812

Köpke S, Mühlhauser I, Gerlach A, Haut A, Haastert B, Möhler R, **Meyer G**. Effect of a Guideline-based Multi-Component Intervention on Use of Physical Restraints in Nursing Homes. A Cluster Randomized Controlled Trial. JAMA 2012; 307: 2177-2184

Richter T, **Meyer G**, Möhler R, Köpke S. Psychosocial interventions for reducing antipsychotic medication in care home residents. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD008634. DOI: 10.1002/14651858.CD008634.pub2

Meyer G, Balzer K, Köpke S. Evidenzbasierte Pflegepraxis — Diskussionsbeitrag zum Status quo. Z Evid Fortbild Qual Gesundh wesen 2013; 107: 30-35

Spliid Ludvigsen M, **Meyer G**. Hall EOC, Fegran L, Aagaard H, Uhrenfeldt L. Development of clinically meaningful complex interventions — The contribution of qualitative research. Pflege 2013; 26: 207214

Mühlhauser I, **Meyer G**. The evidence base of diabetes guidelines. Diabetologia 2013; 56: 1201-1209

Uhrenfeldt L, Aagaard H, Hall EO, Fegran L, Ludvigsen MS, **Meyer G**. A qualitative meta-synthesis of patients' experiences of intra- and inter-hospital transitions. J Adv Nurs 2013; 69: 1678-1690

Balzer K, Köpke S, Lühmann D, Haastert B, Kottner J, Dassen T, **Meyer G**. Designing trials for pressure ulcer risk assessment research: methodological challenges. Int J Nurs Stud 2013; 50: 11361150

Mann E, Haastert B, Böhmendorfer B, Frühwald T, Iglseder B, Roller-Wirnsberger R, **Meyer G**. Prevalence and associations of potentially inappropriate prescriptions in Austrian nursing home residents: secondary analysis of a cross-sectional study. Wien Klin Wochenschr 2013; 125: 180-188

Weberschock T, Dörr J, Valipour A, Strametz R, **Meyer G**, Lühmann D, Steurer J, Horvath K, Donner-Banzhoff N, Forster J, Sauder K, Ollenschläger G. Evidenzbasierte Medizin in Aus-, Weiter- und Fortbildung im deutschsprachigen Raum: Ein Survey. Z Evid Fortbild Qual Gesundh wesen 2013; 107: 5-12

Müller M, Fischer U, Bartoszek G, Grill E, **Meyer G**. Impact of joint contractures on functioning and social participation in older individuals - development of a standard set (JointConFunctionSet): Study protocol. BMC Geriatrics 2013; 13:18

Krüger C, Mayer H, Haastert B, **Meyer G**. Use of physical restraints in acute hospitals in Germany: a multi-centre cross-sectional study. Int J Nurs Stud 2013; 50: 1599-1606

Dichter MN, Dortmann O, Halek M, **Meyer G**, Holle D, Nordheim J, Bartholomeyczik S. Scalability and internal consistency of the German version of the dementia-specific quality of life instrument QUALIDEM in nursing homes - a secondary data analysis. *Health Qual Life Outcomes* 2013; 11: 91

Renom A, Möhler R, Renom H, **Meyer G**. Personally-tailored activities for improving psychosocial outcomes for people with dementia in community settings. *Cochrane Database of Systematic Reviews* 2013, Issue 5. Art. No.: CD010515. DOI: 10.1002/14651858.CD010515

Stephan A, Mayer H, Renom Guiteras A, **Meyer G**. Validity, reliability and feasibility of the German version of the Caregiver Reaction Assessment scale (G-CRA): a validation study. *Int Psychogeriatr* 2013; 25: 1621-1628

Dichter MN, Halek M, Dortmann O, **Meyer G**, Bartholomeyczek S. Measuring the quality of life of people with dementia in nursing homes in Germany — the study protocol for the QoL- Dem Proj ect. *GMS Psycho-Social-Medicine* 2013; 10: 1-8

Hallberg Ingall R, Leino-Kilpi H, **Meyer G**, Raamat K, Soto Martin M, Sutcliffe C, Zabalegui A, Zwakhalen S, Karlsson S. Dementia care in eight European Countries: Developing a mapping system to explore systems. *J Nurs Scholarsh* 2013; 45: 412-424

Stephan A, Renom A, Juchems S, **Meyer G**. Der Balance of Care Ansatz zur Generierung passgenauer Versorgungsangebote für Menschen mit Demenz zwischen Häuslichkeit und Pflegeheim: Anwendungserfahrungen in Deutschland. *Z Evid Fortbild Qual Gesundhwes* 2013; 107: 597-605

Möhler R, Bartoszek G, **Meyer G**. Quality of reporting of complex healthcare interventions and applicability of the CREDECI list - a survey of publications indexed in PubMed. *BMC Med Res Methodol* 2013; 13: 125

Bartoszek G, **Meyer G**, Thiesemann E. Dreimal täglich „durchbewegen“? Eine Analyse der Lehrbücher in der Pflege zum Thema Gelenkkontrakturen. *Z Gerontol Geriatr* 2014; 47: 35-50

Gnass I, Nimako-Doffur A, **Meyer G**. Influence of Clinical Practice Guidelines on Pain Management in German Intensive Care Units — A State Wide Survey". *Clin Nurs Stud* 2014; 2: 37-44

Afram B, Stephan A, Verbeek H, Bleijlevens MHC, Suhonen R, Sutcliffe C, Raamat K, Cabrera E, Soto M, Hallberg IR, **Meyer G**, Hamers JPH, on behalf of the RightTimePlaceCare Consortium. Reasons for Institutionalization of People with Dementia: Informal Caregiver Reports from Eight European Countries. *J Am Med Dir Assoc* 2014; 15: 108-116

Möhler R, **Meyer G**. Attitudes of nurses towards the use of physical restraints in geriatric care: A systematic review of qualitative and quantitative studies. *Int J Nurs Stud* 2014; 51: 274-288

Spliid Ludvigsen M, **Meyer G**, Hall E, Fegran L, Aagaard H, Uhrenfeldt L. Development of clinically meaningful complex interventions — The contribution of qualitative research (secondary, complete republication). *Nordisk Sygeplejeforskning* 2014; 4: 3-14

Fischer U, Bartoszek G, Müller M, Strobl R, **Meyer G**, Grill E. Patients' view on health-related aspects of functioning and disability of joint contractures: a qualitative interview study based on the International Classification of Functioning, Disability and Health (ICF). *Disabil Rehabil* 2014; 36: 2225-2232

Renom-Guiteras A, Uhrenfeldt L, **Meyer G**, Mann E. Assessment tools for determining appropriateness of admission to acute care of persons transferred from long-term care facilities: a systematic review. *BMC Geriatrics* 2014; 14: 80

Fischer U, Müller M, Strobl R, Bartoszek G, **Meyer G**, Grill E. Examining functioning and contextual factors in individuals with Joint contractures from the health professional perspective using the ICF: an international internet-based qualitative expert survey. *Rehabil Nurs* 2014 Nov 25. doi: 10.1002/rnj.190. [Epub ahead of print]

Dörr J, Valipour A, Strametz R, **Meyer G**, Lühmann D, Steuerer J, Horvath K, Donner- Banzhoff N, Forster J, Sauder K, Ollenschläger G, Ochsendorf F, Weberschock T. Survey zu Aus-, Weiter- und Fortbildungsangeboten in Evidenzbasierter Medizin — eine zielgruppenspezifische Analyse. *Z Evid Fortbild Qual Gesundhwes* 2014; 108: 166-174

Panfil EM, Zima K, Lins S, Köpke S, Langer G, **Meyer G**, Interessenkonflikte mit der Industrie — eine Befragung von Pflegenden im Bereich der Wundversorgung in Deutschland, Österreich und der Schweiz. *Pflege* 2014; 27: 191-199

Dichter MN, Schwab CG, **Meyer G**, Bartholomeyczik S, Dortmann O, Halek M. Measuring the quality of life in mild to very severe dementia: Testing the inter-rater and intra-rater reliability of the German version of the QUALIDEM. *Int Psychogeriatr* 2014; 26: 825-836

Kyndi Pedersen M, **Meyer G**, Uhrenfeldt L. Risk factors for acute care hospital readmission in persons aged 60 and over from western countries: a systematic review protocol. *JBHI Database of Systematic Reviews & Implementation Reports* 2014; 12 (2): 91-102

Ludvigsen MS, Fegran L, Aagaard H, **Meyer G**, Uhrenfeldt L. Parents' experiences of the transfer from pediatric to adult care for their adolescent or young adult children with chronic conditions: a systematic review protocol. *JBHI Database of Systematic Reviews & Implementation Reports* 2014; 12 (4): 102-111

Balzer K, Köpke S, **Meyer G**. NICE recommendation on the use of pressure ulcer risk scores is flawed. *Letter. BW* 2014; 348: g3638

Mann E, Nguyen N, Fleischer S, **Meyer G**. Compliance with trial registration in five core Journals of clinical geriatrics: a survey of original publications on randomised controlled trials from 2008 to 2012. *Age Ageing* 2014; 43: 872-876

Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, **Meyer G**, Langer G. Efficacy and experiences of telephone counselling for informal carers of people with dementia. *Cochrane Database of Systematic Reviews* 2014, Issue 9. Art. No.: CD009126. DOI: 10.1002/14651858.CD009126.pub2

Uhrenfeldt L, Ludvigsen MS, Fegran L, Aagaard H, **Meyer G**. Significant others' experience of hospitalized patients' transfer to home: a systematic review protocol. *JBHI Database of Systematic Reviews & Implementation Reports* 2014; 12 (8): 106-115

Mann E, Haastert B, Frühwald T, Sauer mann R, Hinteregger M, Hölzl D, Keuerleber S, Scheuringer M, **Meyer G**. Potentially inappropriate medication in older persons in Austria: A nationwide prevalence study. *Eur Geriatr Med* 2014; 6: 399-405

Möhler R, Suhr R, **Meyer G**. Methoden des Einbezugs von Patientenvertretern bei der Entwicklung von Leitlinien - eine systematische Übersicht. *Z Evid Fortbild Qual Gesundh wesen* 2014; 108: 569-575

Halbig C, **Meyer G**. Einbindung von Patientenvertretern in Leitlinienentwicklungsprozesse: Eine qualitative Studie. *Z Evid Fortbild Qual Gesundh wesen* 2014; 108: 587-593

Ollenschläger G, **Meyer G**, Windeler J. 20 Jahre Leitlinien und EbM in Deutschland: Ist EbM in der Versorgung angekommen? *Z Evid Fortbild Qual Gesundh wesen* 2014; 108: 547-548

Unverzagt S, Klement A, **Meyer G**, Prondzinsky R. Interventions to Enhance Adherence to Guideline Recommendations in Secondary and Tertiary Prevention of Heart Failure: A Systematic Review. *J Clin Trials* 2014; 4: 6

Afram B, Stephan A, Verbeek H, Bleijlevens MH, Suhonen R, Sutcliffe C, Raamat K, Cabrera E, Soto ME, Hallberg IR, **Meyer G**, Hamers JP; RightTimePlaceCare Consortium. Reasons for Institutionalization of People With Dementia: Informal Caregiver Reports From 8 European Countries. *J Am Med Dir Assoc* 2014; 15: 108-116

Cabrera E, Sutcliffe C, Verbeek H, Saks K, Soto Martin M, **Meyer G**, Leino-Kilpi H, Karlsson S, Zabalegui A, on behalf of the RightTimePlaceCare Consortium. Non- pharmacological interventions as a best practice strategy in people with dementia living in nursing homes. A systematic review. *Eur Geriatr Med* 2015; 6: 134-150

Stephan A, Afram B, Koskeniemi J, Verbeek H, Soto ME, Bleijlevens MH, Sutcliffe C, Lethin C, Risco E, Saks K, Hamers JP, **Meyer G**, the RightTimePlaceCare Consortium. Older persons with dementia at risk for institutionalization in eight European countries: a cross-sectional study on the perceptions of informal caregivers and healthcare professionals. *J Adv Nurs* 2015; 71: 1392-1404

Stephan A, Möhler R, Renom-Guiteras A, **Meyer G**. Successful collaboration in dementia care from the perspectives of healthcare professionals and informal carers in Germany: results from a focus group study. *BMC Health Serv Res* 2015; 15: 208

Alvira MC, Risco E, Cabrera E, Farre M, Rahm Hallberg I, Bleijlevens MH, **Meyer G**, Koskeniemi J, Soto ME, Zabalegui A, The RightTimePlaceCare Consortium. The association between positive-negative reactions of informal caregivers of people with dementia and health outcomes in eight European countries: a cross-sectional study. *J Adv Nurs* 2015; 71: 1417-1434

Saks K, Töt EM, Verbeek H, Raamat K, Armolik A, Leibur J, **Meyer G**, Zabalegui A, Leino-Kilpi H, Karlsson S, Soto M, Tucker S, the RightTimePlaceCare Consortium. Most appropriate placement for people with dementia: individual experts' vs. expert groups' decisions in eight European countries. *J Adv Nurs* 2015; 71: 1363-1377

Fischer U, Müller M, Strobl R, Bartoszek G, **Meyer G**, Grill E. Prevalence of functioning and disability in older patients with joint contractures: a cross-sectional study. *Eur J Phys Rehabil Med* 2015; 51: 269-279

Ludvigsen MS, Hall EOC, **Meyer G**, Fegran L, Aagaard H, Uhrenfeldt U. Using Sandelowski and Barroso's metasynthesis method in advancing qualitative evidence. *Qual Health Res* 2015; D01: 10.1177/1049732315576493

Bartoszek G, Fischer U, Clarmann von Clarenau S, Grill G, Mau W, **Meyer G**, Nadolny S, Strobl R, Thiesemann R, Müller M. Development of an ICF-based standard set to describe the impact of joint contractures on participation of older individuals in geriatric care settings. *Arch Gerontol Geriatr* 2015; 61: 61-66

Bartoszek G, Fischer U, Grill E, Müller M, Nadolny S, **Meyer G**. Impact of joint contractures on older persons in geriatric settings: a cross-sectional study. *Z Gerontol Geriatr* 2015; 48: 625-632

Möhler R, Köpke S, **Meyer G**. Criteria for Reporting the Development and Evaluation of Complex Interventions in healthcare - revised guideline (CRedeCI 2). *Trials* 2015; 16: 204

Renom Guiteras A, **Meyer G**, Thürmann P. The EU(7)-P1M list: a list of potentially inappropriate medications for older people consented by experts from seven European countries. *Eur J Clin Pharmacol* 2015; 71: 861-875

Nordhausen T, Lins S, Panfil EM, Köpke S, Leino-Kilpi H, Langer G, **Meyer G**. Pflege und Industriekontakte: Eine Literaturübersicht und eine Befragung zu Interessenkonflikten. *Z Evid Fortbild Qual Gesundheitswes* 2015; 109: 621-631

Verbeek H, **Meyer G**, Challis D, Zabalegui A, Soto ME, Saks K, Leino-Kilpi H, Karlsson S, Hamers JP, RightTimePlaceCare Consortium. Inter-country exploration of factors associated with admission to long-term institutional dementia care: evidence from the RightTimePlaceCare study. *J Adv Nurs* 2015; 71: 1338-1350

Müller M, Bartoszek G, Beutner K, Klinghohn H, Saal S, Stephan AJ, Strobl R, Grill E, **Meyer G**. Developing and piloting a multifactorial intervention to address participation and quality of life in nursing home residents with joint contractures (JointConImprove): study protocol. *GMS Ger Med Sci* 2015; 13: Doc13

Richter C, Berg A, Fleischer S, Köpke S, Balzer K, Fick EM, Sönnichsen A, Löscher S, Vollmar HC, Haastert B, Icks A, Dintios CM, Mann E, Wolf U, **Meyer G**. Effect of person-centred care on antipsychotic drug use in nursing homes (EPCentCare): study protocol for a cluster-randomised controlled trial. *Implement Sci* 2015; 10: 82

Meyer G. Ein evidenzbasiertes Gesundheitssystem: die Rolle der Gesundheitsfachberufe. *Z Evid Fortbild Qual Gesundheitswes* 2015; 109: 378-383

Hofmann H, Schorro E, Haastert B, **Meyer G**. Use of physical restraints in nursing homes: a multicentre cross-sectional study. *BMC Geriatr* 2015; 15:129

Tucker S, Sutcliffe C, Bowns I, Challis D, Saks K, Verbeek H, Cabrera E, Karlsson S, Leino-Kilpi H, **Meyer G**, Soto ME; RightTimePlaceCare Consortium. Improving the mix of institutional and community care

for older people with dementia: an application of the Balance of care approach in eight European countries. *Aging & Mental Health* 2016, 20:12, 1327-1338

Abraham J, Möhler R, Henkel A, Kupfer R, Icks A, Dintios CM, Haastert B, **Meyer G**, Köpke S. Implementation of a multicomponent intervention to prevent physical restraints in nursing home residents (IMPRINT): study protocol for a cluster-randomised controlled trial. *BMC Geriatr* 2015; 15: 86

Dichter MN, Schwab CG, **Meyer G**, Bartholomeyczik S, Halek M. Linguistic validation and reliability properties are weak investigated of most dementia-specific quality of life measurements - A systematic review. *J Clin Epidemiol* Volume 70, February 2016, Pages 233-245

Vollmar HC, **Meyer G**. Das Hohelied der Implementierung wissenschaftlich gesicherter Maßnahmen in die Gesundheitsversorgung. *Z Evid Fortbild Qual Gesundhwes* 2015; 109: 95-96

Möhler R, **Meyer G**. Interventionen zur Vermeidung und Reduktion von freiheitsentziehenden Maßnahmen in der stationären Altenpflege: Herausforderungen bei der Synthese komplexer Interventionen. *Pflege* 2015; 28: 181-182

Risco E, Cabrera E, Jolley D, Stephan A, Karlsson S, Verbeek H, Saks K, Hupli M, Sourdet S, Zabalegui A; RightTimePlaceCare Consortium. The association between physical dependency and the presence of neuropsychiatric symptoms, with the admission of people with dementia to a long-term care institution: a prospective observational cohort study. *Int J Nurs Stud* 2015; 52: 980-987

Karlsson S, Bleijlevens M, Roe B, Saks K, Martin MS, Stephan A, Suhonen R, Zabalegui A, Hallberg IR, RightTimeCarePlace Consortium. Dementia care in European countries, from the perspective of people with dementia and their caregivers. *J Adv Nurs* 2015; 71: 1405-1416

Beerens HC, Zwakhalen SM, Verbeek H, Ruwaard D, Ambergen AW, Leino-Kilpi H, Stephan A, Zabalegui A, Soto M, Saks K, Bökberg C, Sutcliffe CL, Hamers JP, RightTimePlaceCare Consortium. Change in quality of life of people with dementia recently admitted to long-term care facilities. *J Adv Nurs* 2015; 71: 1435-1447

Bleijlevens MH, Stolt M, Stephan A, Zabalegui A, Saks K, Sutcliffe C, Lethin C, Soto ME, Zwakhalen SM, RightTimePlaceCare Consortium. Changes in caregiver burden and health-related quality of life of informal caregivers of older people with Dementia: evidence from the European RightTimePlaceCare prospective cohort study. *J Adv Nurs* 2015 Jun; 71: 1378-1391

Afram B, Verbeek H, Bleijlevens MH, Challis D, Leino-Kilpi H, Karlsson S, Soto ME, Renom-Guiteras A, Saks K, Zabalegui A, Hamers JP, RightTimePlaceCare Consortium. Predicting institutional long-term care admission in dementia: a mixed-methods study of informal caregivers' reports. *J Adv Nurs* 2015; 71: 1351-1362

Möhler R, **Meyer G**. Development methods of guidelines and documents with recommendations an physical restraint reduction in nursing homes: a systematic review. *BMC Geriatr* 2015; 15: 152

Wilfling D, Junghans A, Marshall L, Eisemann N, **Meyer G**, Möhler R, Köpke S. Non-pharmacological interventions for sleep disturbances in people with dementia. *Cochrane Database of Systematic Reviews* 2015, Issue 9. Art. No.: CD011881. DOI: 10.1002/14651858.CD011881

Dichter MN, Wolschon EM, **Meyer G**, Köpke S. Cross-cultural adaptation of the German version of the Quality of Life in Alzheimer's Disease scale - Nursing Home version (QoL-AD NH). *Int Psychogeriatr* 2016; 28: 1399-1400

Bartoszek G, Fischer U, Müller M, Strobl R, Grill E, Nadolny S, **Meyer G**. Outcome measures in older persons with acquired joint contractures: A systematic review and content analysis using the ICF (International Classification of Functioning, Disability and Health) as a reference. *BMC Geriatrics* 2016; 16: 40

Tucker S, Brand C, Sutcliffe C, Challis D, Saks K, Verbeek H, Cabrera E, Karlsson S, Leino-Kilpi H, Stephan A, Soto ME, RightTimePlaceCare Consortium. What Makes Institutional Long-Term Care the Most Appropriate Setting for People With Dementia? Exploring the Influence of Client Characteristics,

Decision-Maker Attributes, and Country in 8 European Nations. *J Am Med Dir Assoc* Volume 17, Issue 5, 1 May 2016, Pages 465.e9-465.e15

Dichter MN, Schwab CG, **Meyer G**, Bartholomeyczik S, Halek M. Linguistic validation and reliability properties are weck investigated of most dementia-specific quality of life measurements - A systematic review. *J Clin Epidemiol* 2016; 70: 233e245

Hecht L, Buhse S, **Meyer G**. Effectiveness of training in evidence-based medicine skills for healthcare professionals. A systematic review. *BMC Medical Education* 2016; 16: 103

Ausserhofer D, Deschodt M, De Geest S, van Achterberg T, **Meyer G**, Verbeek H, Sjetne IS, Malinowska-Lipieti I, Griffiths P, Schlüter W, Ellen M, Engberg S. There's no place like home' - A scoping review on the impact of home-like residential care models on resident-, family- and staff-related outcomes. *J Am Med Dir Assoc* 2016; 17: 685-693

Rehfuess EA, Durão S, Kyamanywa P, Meerpohl JJ, Young T, Rohwer A, CEBHA+ consortium. An approach for setting evidence-based and stakeholder-informed research priorities in low- and middle-income countries. *Bull World Health Organ* 2016; 94: 297-305

Unverzagt S, **Meyer G**, Mittmann S, Samos FA, Unverzagt M, Prondzinsky R. Verbesserung der Adhärenz bei Herzinsuffizienz. Systematisches Review und Metaanalyse zu Interventionen bei medikamentöser Therapie und Lebensstilmodifikationen. *Dtsch Arztebl Int* 2016; 113: 423-430

Müller M, Oberhauser C, Fischer, U, Bartoszek G, Saal S, Strobl R, **Meyer G**, Grill E. The PaArticular Scales - a new outcome measure to quantify the impact of joint contractures on activities and participation in individuals in geriatric care: Development and Rasch analysis. *Int J Nurs Stud* 2016; 59: 107-117

Dichter MN, Schwab CG, **Meyer G**, Bartholomeyczik S, Halek M. Item distribution, internal consistency and inter-rater reliability of the German version of the QUALIDEM for people with mild to severe and very severe dementia. *BMC Geriatr* 2016; 16: 126

Müller C, Puls J, Lautenschläger S, Stephan A, **Meyer G**. Interventions to support people with dementia and their informal caregivers during the transition from home care to nursing home care - a protocol for a systematic review. *International Journal of Health Professions* 2016; 3: DOI: 10.1515/ijhp-2016-0020

Kerpershoek L, de Vugt M, Wolfs C, Jelley J, Orrel M, Woods B, Stephan A, Bieber A, **Meyer G**, Engedal K, Selbaek G, Handels R, Wimo A, Hopper L, Irving K, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey F and the Actifcare Consortium. Access to timely formal dementia care in Europe: protocol of the Actifcare (Access to Timely Formal Care) study. *BMC Health Services Research* 2016; 16: 423

Janssen EP, de Vugt M, Köhler S, Wolfs C, Kerpershoek L, Handels RL, Orrell M, Woods B, Jelley H, Stephan A, Bieber A, **Meyer G**, Engedal K, Selbaek G, Wimo A, Irving K, Hopper L, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey FR. Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. *Aging Ment Health* 2016; 21: 49-57

Möhler R, Köpke S, **Meyer G**. Deutsche Version der Kriterien für eine hochwertige Berichterstattung von komplexen Interventionen in der Pflege und Gesundheitsversorgung: CReDECI 2-DE. *Pflegewissenschaft* 2016; 18: 481-485

Möhler R, Nürnberger C, Abraham J, Köpke S, **Meyer G**. Interventions for preventing and reducing the use of physical restraints of older people in general hospital settings. *Cochrane Database of Systematic Reviews* 2016, Issue 12. Art. No.: CD012476. DOI: 10.1002/14651858.CD012476.

Pedersen MK, **Meyer G**, Uhrenfeldt L. Risk factors for acute care hospital readmission in older persons in Western countries: a systematic review. *JBIC Database System Rev Implement Rep* 2017; 15:454-485

Saal S, Beutner K, Bogunski J, Obermüller K, Müller M, Grill E, **Meyer G**. Interventions for the prevention and treatment of disability due to acquired joint contractures in older people: a systematic review. *Age Ageing*. 2017 May 1;46(3):373-382. doi: 10.1093/ageing/afx026.

Sniatecki S, **Meyer G**, Renom-Guiteras A, Dichter MN, Mayer H, Stephan A. Was sagt der Satz im Mini-Mental-Status-Test über das Befinden von Menschen mit Demenz aus? Ergebnisse einer Querschnittstudie Zeitschrift für Gerontologie und Geriatrie. Z Gerontol Geriatr 2017; 50: 45-51

Müller C, Lautenschläger S, **Meyer G**, Stephan A. Interventions to support people with dementia and their caregivers during the transition from home care to nursing home care: A systematic review. Int J Nurs Stud 2017; 71: 139-152

Bieber A, Stephan A, Verbeek H, Verhey F, Kerpershoek L, Wolfs C, de Vugt M, Woods RT, Rosvik J, Selbaek G, Sjölund BM, Wimo A, Hopper L, Irving K, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, **Meyer G**. Access to community care for persons with dementia and their informal carers: A European comparison of structures and common pathways to formal care based on case vignettes. Z Gerontol Geriatr. 2018 Jul;51(5):530-536. doi: 10.1007/s00391-017-1266-7.

Sutcliffe C, Giebel C, Bleijlevens M, Lethin C, Stolt M, Saks K, Soto ME, **Meyer G**, Zabalegui A, Chester H, Challis D; RightTimePlaceCare Consortium. Caring for a Person With Dementia on the Margins of Long-Term Care: A Perspective on Burden From 8 European Countries. J Am Med Dir Assoc. 2017 Nov 1;18(11):967-973.e1. doi: 10.1016/j.jamda.2017.06.004

Grube M, Fuchs J, **Meyer G**, Lahmann N, Zank S, Gaertner B, Wetzstein M, Koschollek C, Scheidt-Nave C. Entwicklung eines Rahmenkonzepts für ein Public-Health-Monitoring der Bevölkerung ab 65 Jahren. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2017; 60: 879-882

Janssen EP, de Vugt M, Köhler S, Wolfs C, Kerpershoek L, Handels RL, Orrell M, Woods B, Jelley H, Stephan A, Bieber A, **Meyer G**, Engedal K, Selbaek G, Wimo A, Irving K, Hopper L, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey FR. Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. Aging Ment Health 2017; 21: 49-57

Broda A, Bieber A, **Meyer G**, Hopper L, Joyce R, Irving K, Zanetti O, Portolani E, Kerpershoek L, Verhey F, de Vugt M, Wolfs C, Eriksen S, Rosvik J, Marques MJ, Gonçalves-Pereira M, Sjölund BM, Woods B, Jelley H, Orrell M, Stephan A, on behalf of the ActifCare Consortium. Perspectives of policy and political decision makers on access to formal dementia care: expert interviews in eight European countries. BMC Health Serv Res 2017; 17: 518

Vollmar HC, Santos S, **Meyer G**, Wilm S. Wie gelangt Wissen in die Versorgung? Implementierungsforschung und Wissenszirkulation. Bundesgesundheitsbl 60, 1139–1146 (2017). <https://doi.org/10.1007/s00103-017-2612-z>

Kerpershoek L, de Vugt M, Wolfs C, Woods B, Jelley H, Orrell M, Stephan A, Bieber A, **Meyer G**, Selbaek G, Handels R, Wimo A, Hopper L, Irving K, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey F & the Actifcare Consortium. Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. Aging Ment Health 2017 Oct 25: 1-6

Renom-Guiteras A, Thürmann PA, Miralles R, Klaaßen-Mielke R, Thiem U, Stephan A, Bleijlevens MHC, Jolley D, Leino-Kilpi H, Rahm Hallberg L, Saks K, Soto-Martin M, Zabalegui A, **Meyer G**. RightTimePlaceCare Consortium. Potentially inappropriate medication among people with dementia in eight European countries. Age Ageing 2018; 47: 68-74

Hirt J, Buhtz C, Mersdorf B, **Meyer G**. Repräsentanz von Pflegewissenschaftlerinnen und Pflegewissenschaftlern aus dem deutschsprachigen Raum in Zeitschriften mit hohem Impact Factor. Pflege 2018; 31: 1-9

Nguyen N, **Meyer G**, Renom Guiteras A, Stephan A. Umzug von Menschen mit Demenz in ein Pflegeheim: Eine qualitative Sekundäranalyse und Literaturübersicht zu Sichtweisen von pflegenden Angehörigen und professionellen Akteuren. Pflege 2018; 3:155-166

Saal S, **Meyer G**, Beutner K, Klingshirn H, Strobl R, Grill E, Mann E, Köpke S, Bleijlevens MHC, Bartoszek G, Stephan AJ, Hirt J, Müller M. Development of a complex intervention to improve participation of nursing home residents with joint contractures: a mixed method study. *BMC Geriatrics* 2018; 18: 61

Möhler R, Renom A, Renom H, **Meyer G**. Personally tailored activities for improving psychosocial outcomes for people with dementia in long-term care. *Cochrane Database of Systematic Reviews* 2018, Issue 2. Art. No.: CD009812

Stephan A, Bieber A, Hopper L, Joyce R, Irving K, Zanetti O, Portolani E, Kerpershoek L, Verhey F, de Vugt M, Wolfs C, Eriksen S, Rosvik J, Marques MJ, Gonçalves-Pereira M, Sjölund BM, Jelley H, Woods B, **Meyer G** and on behalf of the Actifcare Consortium. Barriers and facilitators to the access to and use of formal dementia care: findings of a focus group study with people with dementia, informal carers and health and social care professionals in eight European countries. *BMC Geriatrics* 2018; 18:131

Dichter MN, Wolschon EM, Schwab CGG, **Meyer G**, Köpke S. Item distribution and inter-rater reliability of the German version of the quality of life in Alzheimer's disease scale (QoL-AD) proxy for people with dementia living in nursing homes. *BMC Geriatrics* 2018; 18: 145

Römhild J, Fleischer S, **Meyer G**, Stephan A, Zwakhalen S, Leino-Kilpi H, Zabalegui A, Saks K, Soto-Martin M, Sutcliffe C, Rahm Hallberg L, Berg A, RightTimePlaceCare Consortium. Inter-rater agreement of the Quality of Life-Alzheimer's Disease (QoL-AD) self-rating and proxy rating scale: secondary analysis of RightTimePlaceCare data. *Health Qual Life Outcomes* 2018; 16: 131

Meyer G, Möhler R, Köpke S. Reducing waste in evaluation studies on fall risk assessment tools for older people. *J Clin Epidemiol* 2018; 102: 139-143

Røsvik J, Michelet M, Engedal K, Bieber A, Broda A, Gonçalves-Pereira M, Hopper L Irving K, Jelley H, Kerpershoek L, **Meyer G**, Marques MJ, Portolani E, Sjölung BM, Sköldunger A, Stephan A, Verhey F, de Vugt M, Woods B, Wolfs C, Zanetti O, Selbaekand G, Actifcare Consortium. Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. *Aging & Mental Health* 2019 Jan 21: 1-12. doi: 10.1080/13607863.2018.1523876

Bieber A, Nguyen N, **Meyer G**, Stephan A. Influences on the access to and use of formal community care by people with dementia and their informal caregivers: a scoping review. *BMC Health Serv Res* 2019; 19: 88

Marques MJ, Woods B, Hopper L, Jelley H, Irving K, Kerpershoek L, **Meyer G**, Bieber A, Stephan A, Sköldunger A, Sjölund BM, Selbaek G, Rosvik J, Zanetti O, Portolani E, de Vugt M, Verhey F, Gonçalves-Pereira M, Actifcare Consortium. Relationship quality and sense of coherence in dementia: results of a European cohort study. *Int J Geriatr Psychiatry* 2019; 34: 745-755

Fröhlich MR, **Meyer G**, Spirig R, Rettke H. Welche patientenbezogenen Parameter berücksichtigen Pflegende bei der Schmerzeinschätzung bewusstseins- und kognitiv eingeschränkter Patienten auf der Intensivstation? Eine qualitative explorative Studie. *Pflegewissenschaft* 2019; 21: 40-46

Broda A, Wübker A, Bremer P, **Meyer G**, Renom Guiteras A, Sauerland D, Stephan A. Versorgungsplanung für Menschen mit Demenz am Übergang von der Häuslichkeit ins Pflegeheim: der „Balance-of-Care“-Ansatz im RightTimePlaceCare-Projekt in Deutschland. *Z Gerontol Geriat* 52, 751–757 (2019). doi.org/10.1007/s00391-019-01510-w

Nordhausen T, Abraham J, Kupfer R, Köpke S, **Meyer G**, Möhler R. Freiheitseinschränkung aus Sicht der Interessenvertretungen von Pflegeheimbewohnerinnen und -bewohnern – eine qualitative Studie. *Pflege* 2019; 32: 147-156

Richter C, Berg A, Langner H, **Meyer G**, Köpke S, Balzer K, Wolschon EM, Silies K, Sönnichsen A, Löscher S, Haastert B, Icks A, Wolf U, Fleischer S. Effect of person-centred care on antipsychotic drug use in nursing homes (EPCentCare): a cluster-randomised controlled trial. *Age Ageing* 2019; 48: 419-425

Hirt J, Buhtz C, **Meyer G**, Balzer K. Publications German-speaking countries in high impact journals: development and validation of a search filter]. *Pflege* 2019; 32: 97-106

Abraham J, Kupfer R, Behncke A, Berger-Höger B, Icks A, Haastert B, **Meyer G**, Köpke S, Möhler R. Implementation of a multicomponent intervention to prevent physical restraints in nursing homes (IMPRINT): A pragmatic cluster randomized controlled trial. *Int J Nurs Stud*. 2019; 96: 27-34

Nguyen N, Thalhammer R, Beutner K, Saal S, Servaty R, Klingshirn H, Icks A, Freyberg K, Vomhof M, Mansmann U, Le L, Müller M, **Meyer G**. Effectiveness of a complex intervention to improve participation and activities in nursing home residents with joint contractures (JointConEval): study protocol of a multicentre cluster-randomised controlled trial [DRKS-ID: DRKS00015185]. *Trials* 2019; 20: 305

Saal S, Klingshirn H, Beutner K, Strobl R, Grill E, Müller M, **Meyer G**. Improved participation of older people with joint contractures living in nursing homes: feasibility of study procedures in a cluster-randomised pilot trial. *Trials* 2019; 20 (1): 411

Andrich S, Ritschel M, **Meyer G**, Hoffmann F, Stephan A, Baltés M, Blessin J, Jobski K, Fassmer AM, Haastert B, Gontscharuk V, Arend W, Theunissen L, Colley D, Hinze R, Thelen S, Fuhrmann P, Sorg CGG, Windolf J, Rupprecht CJ, Icks A. Healthcare provision, functional ability and quality of life after proximal femoral fracture - 'ProFem': Study protocol of a population-based, prospective study based on individually linked survey and statutory health insurance data. *BMJ Open* 2019; 9 (6): e028144.

Paulicke D, Buhtz C, **Meyer G**, Jahn P. Beratungsansätze zu assistiven Technologien in der Pflege von Menschen mit Demenz. Fokusgruppenstudie mit pflegenden Angehörigen. *Pflege* 2019; 32: 315-323

Fröhlich MR, **Meyer G**, Spirig R, Rettke H. Wann und wie berücksichtigen Intensivpflegende Schmerz im Behandlungsprozess von Patientinnen und Patienten auf der Intensivstation? Eine qualitative Studie. *Pflege* 2019; 32: 249-258

Nordhausen T, Langner H, Fleischer S, **Meyer G**, Berg A. Stärkung der psychosozialen Gesundheit von Bewohnerinnen und Bewohnern der stationären Langzeitpflege: Systematische Übersicht zu Interventionen der Prävention und Gesundheitsförderung. *Z Evid Fortbild Qual Gesundhwes* 2019; 147-148: 7-19

Kerpershoek L, de Vugt M, Wolfs C, Orrell M, Woods B, Jelley H, **Meyer G**, Bieber A, Stephan A, Selbaek G, Michelet M, Wimo A, Handels R, Irving K, Hopper L, Gonçalves-Pereira M, Conceição Balsinha C, Zanetti O, Portolani D, Verhey F; Actifcare Consortium. Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. *Int J Geriatr Psychiatry* 2020: 45-52

Røsvik J, Michelet M, Engedal K, Bieber A, Broda A, Gonçalves-Pereira M, Hopper L, Irving K, Jelley H, Kerpershoek L, **Meyer G**, Marques MJ, Portolani E, Sjölund BM, Sköldunger A, Stephan A, Verhey F, de Vugt M, Woods B, Wolfs C, Zanetti O, Selbaek G. Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. *Aging Ment Health* 2020; 24: 200-211

Grünzig M, Schiller C, Klatt T, **Meyer G**, Heinrich S. Herausforderungen bei Demenz in den eigenen vier Wänden. Die häusliche Situation eines Ehepaares. *Pflege* 2020; 33: 34-42

Perry-Duxbury M, van Exel J, Brouwer W, Sköldunger A, Gonçalves-Pereira M, Irving K, **Meyer G**, Selbæk G, Woods B, Zanetti O, Verhey F, Wimo A, Handels RLH, Actifcare Consortium. A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. *Qual Life Res* 2020; 29: 237-251

Hirt J, van Meijeren LCJ, Saal S, Hafsteinsdóttir TB, Hofmeijer J, Kraft A, **Meyer G**, de Man-van Ginkel JM. Predictive accuracy of the Post-Stroke Depression Prediction Scale: A prospective binational observational study. *J Affect Disord* 2020; 265: 39-44

Langner H, Nordhausen T, Fleischer S, **Meyer G**, Berg A. Stärkung kognitiver Ressourcen von Bewohnerinnen und Bewohnern der stationären Langzeitpflege: Systematische Übersicht zu

Interventionen der Prävention und Gesundheitsförderung. Z Evid Fortbild Qual Gesundhwes 2020, Feb 8. pii: S1865-9217(20)30002-7. doi: 10.1016/j.zefq.2020.01.001 [Epub ahead of print]

Jelley H, Kerpershoek L, Verhey F, Wolfs C, de Vugt M, Bieber A, Stephan A, **Meyer G**, Michelet M, Selbaek G, Sjölund BM, Sköldunger A, Hopper L, Irving K, Marques M, Conceição Balsinha M, Gonçalves-Pereira M, Portolani, DM, Zanetti O, Woods B, and the Actifcare Consortium. Carers' experiences of timely access to and use of dementia care services in eight European countries. Ageing and Society (in press)

Clever K, Richter C, **Meyer G**. Current approaches to the integration of sex- and gender-specific medicine in teaching: a qualitative expert survey. GMS J Med Educ 2020; 37 (2): Doc26, DOI: 10.3205/zma001319, URN: urn:nbn:de:0183-zma0013198

Mortsiefer A, Wilm S, Santos S, Löscher S, Wollny A, Drewelow E, Ritzke M, Thürmann P, Mann NK, **Meyer G**, Abraham J, Icks A, Montalbo J, Wiese B, Altiner A, COFRAIL study group. Family conferences and shared prioritisation to improve patient safety in the frail elderly (COFRAIL): study protocol of a cluster randomised intervention trial in primary care. Trials 2020; 21: 285

Schnakenberg R, Silies K, Berg A, Kirchner Ä, Langner H, Chuvayaran Y, Köberlein-Neu J, Haastert B, Wiese B, **Meyer G**, Köpke S, Hoffmann F. Study on advance care planning in care dependent community-dwelling older persons in Germany (STADPLAN): protocol of a cluster-randomised controlled trial. BMC Geriatr 2020; 20 (1): 142. doi: 10.1186/s12877-020-01537-4